



Easy 6 Manual

Electrical Supply

CODE: 925806120

Technical features

Outside dimension:	850 L x 915 P x 830 H mm
Space between trays:	80 mm
Trays:	6T GN1/1 - 6T 40X60
Power:	10,7 KW
Weight:	82 Kg
Max temperature:	270 ° C
Power supply:	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

Equipment


Controlled steam injection (%)	Glass opening for cleaning	Catalytic burner high performance
Fan inversion system	Halogen lighting	Unique pan support GN 1/1 - 40x60
2 Fan speeds	Continuous operation INF	Mechanical timer 0-120

Accessories



Exhaust & draining, Proofers, Cleaning & purification, Stands & supports, Trays

Easy 6 Manual

Electrical Supply



- 1 - Manopola Timer - Timer knob - Poignée de la minuterie - Mando del temporizador
 2 - Manopola temp. - Temp. knob - Poignée de la temp. - Mando de la temp.
 3 - Manopola Umidità - Humidity knob - Poignée de l'humidité - Mando humedad






Legend

- A - Drain liquid Ø 30mm
- B - Equipotential terminal comb
- C - Electric supply
- D - Water inlet 3/4"
- E - Extracting hood supply
- F - Steam exhaust Ø 50mm

Easy 6 Manual

Electrical Supply

Connections



Packaging



Packing size:	920 L x 1000 P x 980 H mm
Net weight:	82 Kg
Gross weight:	92 Kg