



Gourmet Slim Classic

Electrical Supply

CODE: 925904820

Technical features


Seats:	20/80
Outside dimension:	517 L x 992 P x 700 H mm
Space between trays:	65 mm
Trays:	5T GN 1/1
Power:	8,5 KW
Weight:	50 Kg
Max temperature:	270 ° C
Power supply:	400 V ~ 3PH + N + PE 400 V ~ 2PH + N + PE 230 V ~ 3PH + PE 230 V ~ 1PH + N + PE 50-60 Hz

Equipment



Touch screen	6 Cooking modes	5 Fan speeds
LED lighting	HACCP register	Pre-heating option
Controlled steam injection (%)	Inner and online collection of recipes	Cooling system
Fan inversion system	Multi-timer tray cooking end	5 Phases for cooking
Multipoint probe	Glass opening for cleaning	Delayed cooking programming
Error reporting		

Accessories

Blast chillers, Cleaning & purification, Control tools, Stands & supports, Trays

Gourmet Slim Classic
Electrical Supply

Legend

- A - Drain liquid Ø 30mm
- B - Equipotential terminal comb
- C - Electric supply
- D - Water inlet 3/4"
- E - Extracting hood supply
- F - Steam exhaust Ø 30mm
- G - Inlet for washing kit Ø 8mm

Gourmet Slim Classic
Electrical Supply
Connections

Packaging


Packing size:	570 L x 970 P x 830 H mm
Net weight:	60 Kg
Gross weight:	67 Kg